



Patient ID SA00114420	Patient Name TESTINGRNV, ATLAS	Birth Date 1972-10-12	Gender M	Age 46
Order Number SA00114420	Client Order Number SA00114420	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Nov 2018 09:35		

AFP-L3% and Total AFP, S

Total AFP, S



High

16 ng/mL

SDL

Reference Value
<4.7

%L3

6.5 %

SDL

Reference Value
<10

ADDITIONAL INFORMATION

The testing method is isotachopheresis with laser-induced fluorescence manufactured by WAKO and performed on the i30.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Alpha-Fetoprotein and L3% values are not interpretable during pregnancy for the investigation of malignant disease.

Received: 28 Nov 2018 15:30

Reported: 28 Nov 2018 15:30

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592