



Patient ID 321	Patient Name TESTRNV, IMPLEMENTATION	Birth Date 1968-02-19	Sex M	Age 55
Order Number X100411960	Client Order Number X100411960	Ordering Physician TESTING	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Mar 2023 14:00		

HIV-1/HIV-2 RNA Detect, P

HIV-1 RNA

Undetected

HIV-1 RNA was not detected.

SDL

Reference Value
Undetected

HIV-2 RNA

Undetected

HIV-2 RNA was not detected.

ADDITIONAL INFORMATION

This RT-PCR test uses the cobas HIV-1/HIV-2 Qualitative assay (Roche Molecular Systems, Inc.) performed on the cobas 6800 / 8800 System.

SDL

Reference Value
Undetected

Received: 22 Mar 2023 14:48

Reported: 22 Mar 2023 14:51

HIV Ab Confirm / Differentiation, P

HIV-1 Ab Differentiation, P

Negative

Bands detected : None

Negative result does not rule out HIV infection. Reflex testing for HIV-1 and HIV-2 RNA detection is ordered.

SDL

Reference Value
Negative

HIV-2 Ab Differentiation, P

Negative

Bands detected : None

Negative result does not rule out HIV infection. Reflex testing for HIV-1 and HIV-2 RNA detection is ordered.

SDL

Reference Value
Negative

Received: 22 Mar 2023 13:38

Reported: 22 Mar 2023 13:46

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592