

Patient ID SAMPLE	Patient Name PATIENT, TEST	Birth Date 1974-08-04	Sex M	Age 50
Order Number SAMPLE	Client Order Number SAMPLE	Ordering Physician SAMPLE	Report Notes Sample Report	
Account Information SAMPLE		Collected 06 Aug 2024 08:25		

Leukocyte Adhesion Def. Type 1, B

CD11a	SDL	LAD Interpretation	1 SDL
Normal	Reference Value Normal	Normal expression of CD18 (b2-integrin), CD11a and CD11b on granulocytes, monocytes and lymphocytes. This result does not appear to be consistent with Leukocyte Adhesion Deficiency type 1. Unable to provide further interpretation without clinical information. Clinical correlation recommended.	
CD11b	SDL		
Normal	Reference Value Normal		
CD18	SDL	Received: 07 Aug 2024 08:20	Reported: 07 Aug 2024 08:25
Normal	Reference Value Normal		

Laboratory Notes

- 1 Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592