



Ceramide Trihexosides and Sulfatides, Random,
Urine

Patient ID 321	Patient Name TESTRNV, IMPLEMENTATION	Birth Date 2008-06-06	Gender F	Age 11
Order Number X100311152	Client Order Number X100311152	Ordering Physician 321	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 29 Jan 2020 14:00		

Ceramide Trihex and Sulfatide, U

Interpretation

1 MCR

NEGATIVE In this sample, both the ceramide trihexoside and sulfatide profiles were normal.

ADDITIONAL INFORMATION

Matrix-assisted laser desorption ionization time-of-flight mass spectrometry (MALDI-TOF MS)

Reviewed By

MCR

Derlen Oldenburg

Received: 29 Jan 2020 14:44

Reported: 29 Jan 2020 14:49

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292