



Patient ID J0001304	Patient Name ABNORMAL, HVCOP	Birth Date 1986-11-25	Sex F	Age 37
Order Number J0001304	Client Order Number J0001304	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 02 Feb 2024 14:56		

HIV-1 RNA Detect/Quant, P

MCF



<20 copies/mL

Reference Value
Undetected

Abn Result in log copies/mL is <1.30.

HIV-1 RNA is detected, but level present is <20 copies/mL (<1.30 log copies/mL). This assay cannot accurately quantify HIV-1 RNA below this level.

ADDITIONAL INFORMATION

The quantification range of this assay is 20 to 10,000,000 copies/mL (1.30 log to 7.00 log copies/mL). Testing was performed using the cobas HIV-1 test (Roche Molecular Systems, Inc.).

Received: 02 Feb 2024 13:56

Reported: 02 Feb 2024 13:58

HIV-1/-2 Ag and Ab Screen, P

MCF



Reactive

Reference Value
Negative

Abn

Result is not diagnostic (considered preliminary), and diagnosis of HIV infection must be based on supplemental test results. Supplemental HIV antibody differentiation test is ordered.

Received: 31 Jan 2024 08:12

Reported: 02 Feb 2024 13:46

HIV Ab Confirm / Differentiation, P

HIV-1 Ab Differentiation, P

MCF



Positive

Reference Value
Negative

Abn

Bands detected:

Presence of HIV-1 antibodies is confirmed. Reflex testing for HIV-1 RNA detection and quantification is ordered.

HIV-2 Ab Differentiation, P

MCF

Negative

Reference Value
Negative

Bands detected : None

Received: 02 Feb 2024 13:47

Reported: 02 Feb 2024 13:51

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502