



Patient ID SA00122049	Patient Name SAMPLEREPORT, AMIO	Birth Date 1945-12-23	Gender F	Age 73
Order Number SA00122049	Client Order Number SA00122049	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 08 Aug 2019 12:12		

Amiodarone, S

Amiodarone, S



<0.2 mcg/mL

Low

REFERENCE VALUE

0.5–2.0 (Therapeutic concentration, trough value),
>2.5 (Toxic concentration, trough value)

SDL

Desethylamiodarone

1 SDL

<0.2 mcg/mL

REFERENCE VALUE

No therapeutic range established; activity and serum
concentration are similar to parent drug.

Received: 14 Aug 2019 12:34

Reported: 15 Aug 2019 15:05

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592