



Patient ID J0000790	Patient Name HCVSP, REPORT	Birth Date 2000-11-02	Gender F	Age 21
Order Number J0000790	Client Order Number J0000790	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 05 Nov 2021 06:00		

HCV RNA Detect/Quant Prenatal, S



12000 IU/mL

Abn

Result in log IU/mL is 4.08.

MCF

Reference Value
Undetected

ADDITIONAL INFORMATION

The quantification range of this assay is 15 to 100,000,000 IU/mL (1.18 log to 8.00 log IU/mL). Testing was performed using the cobas HCV test (Roche Molecular Systems, Inc.) with the cobas 6800 System.

Received: 05 Nov 2021 08:36

Reported: 05 Nov 2021 08:39

HCV Ab Scrn Prenatal, S



HCV Ab Prenatal, S

Reactive

Abn

Supplemental testing for HCV RNA is ordered to rule out active HCV infection. Signal-to-cutoff ratio is ≥ 8.00 .

MCF

Reference Value
Negative

Received: 05 Nov 2021 08:35

Reported: 05 Nov 2021 08:35

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Gretchen Johns MD	10D0269502