



Patient ID C7028846-0006291	Patient Name AACYL, NORMAL	Birth Date 1990-10-30	Sex M	Age 34
Order Number X100490163	Client Order Number X100490163	Ordering Physician UNKNOWN, PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 28 Jan 2025 07:00		

Aminoacylase-1 Deficiency, U

N-acetylalanine	MCR	Reviewed By	MCR
10.00 mmol/mol Cr	Reference Value ≤10.00	Colleen Landon	
N-acetylglycine	MCR	Interpretation	1 MCR
15.00 mmol/mol Cr	Reference Value ≤15.00	*NEGATIVE* In this urine sample, the N-acetyl amino acids profile was normal.	
N-acetylmethionine	MCR	ADDITIONAL INFORMATION	
5.00 mmol/mol Cr	Reference Value ≤5.00	Gas Chromatography-Mass Spectrometry (GC/MS)	
N-acetylglutamic acid	MCR	Received: 29 Jan 2025 14:55	Reported: 29 Jan 2025 16:01
20.00 mmol/mol Cr	Reference Value ≤20.00		

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292