



Patient ID SA00131722	Patient Name TESTINGRNV, NORMALSPASU	Birth Date 1980-10-20	Gender M	Age 39
Order Number SA00131722	Client Order Number SA00131722	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 02 Aug 2020 13:48		

Arsenic Speciation, 24 Hr, U

Total Arsenic Concentration

1 SDL

<10 mcg/L

Speciation not performed; total arsenic below speciation limit.

Arsenic Speciation Interpretive Information:

The reference value is based on the ACGIH Biological Exposure Index (BEI) of arsenic in urine which is <35 mcg/L. The ACGIH BEI is based on the sum of the inorganic and methylated species and does not include the non-toxic organic species.

Received: 03 Aug 2020 14:50

Reported: 03 Aug 2020 14:55

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592