



Patient ID SA00176223	Patient Name CDP, ABNORMAL	Birth Date 1986-11-25	Sex F	Age 38
Order Number SA00176223	Client Order Number SA00176223	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Jun 2025 08:00		

Chlordiazepoxide and metabolites, S

Chlordiazepoxide

SDL

 <10 ng/mL

Low

REFERENCE VALUE

Cutoff: 10

Therapeutic range:
400–3000

Nordiazepam

SDL

<10 ng/mL

REFERENCE VALUE

Cutoff: 10

Low concentrations may also be observed as it is a downstream metabolite of chlordiazepoxide, clorazepate, diazepam, halazepam, and prazepam.

Oxazepam

1 SDL

<10 ng/mL

REFERENCE VALUE

Cutoff: 10

As a downstream metabolite of chlordiazepoxide, low concentrations may also be observed.

Received: 30 Jun 2025 15:01

Reported: 01 Jul 2025 07:17

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592