



Patient ID SA00124966	Patient Name TESTINGRNV, ADALX-NORM	Birth Date 1995-01-01	Gender F	Age 25
Order Number SA00124966	Client Order Number SA00124966	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 14 Jan 2020 00:58		

Adalimumab QN with Reflex to Ab, S

1 SDL



>45.0 mcg/mL

High

For clinical assessment of response to therapy, adalimumab should be measured at trough, immediately before the next infusion. Peak measurements are strongly discouraged. When adalimumab trough concentrations are greater than 8.0 mcg/mL, clinically relevant antibodies-to-adalimumab are unlikely and reflex testing will not be performed.

REFERENCE VALUE

Limit of Quantitation = 0.8 mcg/mL

Received: 14 Jan 2020 00:58

Reported: 14 Jan 2020 01:00

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592