



Patient ID SA00056627	Patient Name SAMPLEREPORT, FER N	Birth Date 1976-06-10	Gender M	Age 36
Order Number SA00056627	Client Order Number SA00056627	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 16 Apr 2013 00:00		

Semen Analysis

Abstinence

2.0 d

MCR

Sperm/mL

143.3 x10(6)

MCR

Reference Value
≥15.0

Collection Site

Referring Institution

MCR

Motility

53 %

MCR

Reference Value
≥40

Study Type

Semen

MCR

Grade

4.0

MCR

Reference Value
≥2.5

Container Type

50 mL Conical

MCR

Motile/Ejaculate

226.5 x10(6)

MCR

Reference Value
≥9.0

Appearance

Normal

MCR

Viscosity

4.0

MCR

Reference Value
≥3.0

Semen Volume

3.0 mL

MCR

Reference Value
≥1.5

Agglutination

4.0

MCR

Reference Value
≥3.0

pH

7.2

MCR

Reference Value
≥7.2

Comment

If reported, the specimen's appearance, volume, pH and viscosity were provided by referring personnel.

MCR

Motile/mL

75.5 x10(6)

MCR

Reference Value
≥6.0

Received: 17 Apr 2013 16:50

Reported: 29 Apr 2013 14:14

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292