

Mayo Clinic
Laboratory Services Report

Patient Name:
SAMPLEREPORT, FCTUR
Medical Record Number:
RI20230823A0184
DOB: 05/29/1967
Sex: M

Order Number:
N323000762
Client Order #:
RI20230823A0184

Requested by:
CLIENT CLIENT
Ward/Client ID:
7028846
Ward/Client Name:
MCL RochesterCampus

COMMENTS:

ORD. COMM: Result Abnormal

EUROFINS VIRACOR, INTERFACE

Test	Result	Flag	Units	Reference Values	Site	Reported D/T
------	--------	------	-------	------------------	------	--------------

Specimen: ZRR Collected: 08/23/2023 19:30 Received: 10/02/2023 09:36

Turmeric IgE

Turmeric IgE	0.65	H	kU/L	<0.35	Y165	10/05/2023 16:23
Class	1				Y165	10/05/2023 16:23

CLASS INTERPRETATION: <0.35 kU/L=0, Below Detection; 0.35-0.69 kU/L= 1, Low Positive; 0.70-3.49 kU/L= 2, Moderate Positive; 3.50-17.49 kU/L= 3, Positive; 17.50-49.99 kU/L= 4, Strong Positive; >49.99 kU/L= 5, Very Strong Positive
*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

Y165 Eurofins Viracor, 18000 W. 99th Street, Suite 10, Lenexa, KS 66219