

Patient ID SAMPLE	Patient Name PATIENT, TEST	Birth Date 1990-08-02	Sex U	Age 33
Order Number SAMPLE	Client Order Number SAMPLE	Ordering Physician SAMPLE	Report Notes Sample Report	
Account Information SAMPLE		Collected 01 Aug 2024 14:48		

DC and Monocyte Enumeration, B

Monocytes(CD14+)

392 cells/mcL

SDL
Reference Value
173–637

pDC (CD123+)

15 cells/mcL

SDL
Reference Value
4–26

mDC (CD11c+)

80 cells/mcL

SDL
Reference Value
14–84

DCME Comment

Reviewed by: Austin Reinicke

ADDITIONAL INFORMATION

Reference values implemented Month DD, 2020

Received: 02 Aug 2024 14:43

Reported: 02 Aug 2024 14:48

1 SDL

Laboratory Notes

- 1 This test was developed using an analyte specific reagent. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592