

Patient ID SA00175970	Patient Name FPEPA, SAMPLEREPOR	Birth Date 1998-01-01	Sex M	Age 27
Order Number SA00175970	Client Order Number SA00175970	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 04 Jun 2025 13:00		

Pepsin A Assay

Specimen Type

Tracheal

Y001

Interpretation

Y001

The airway sample from this patient was weakly positive for pepsin A. Clinical correlation is advised.

Protein

0.00 mg/mL

Y001

ADDITIONAL INFORMATION

Pepsin A Reference Range (ng/mL):

<12.5 negative

12.5–100 weak to moderate positive

>100 strong positive

Y001

pH

5.5

Y001

Protein Unit: mg/mL

Pepsin A Unit: ng/mL

The above reference values were based on a pediatric population.

Pepsin A

17.1 High ng/mL

weak to moderate positive 12.5–100 ng/mL

Received: 05 Jun 2025 14:56

Reported: 05 Jun 2025 15:14

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y001	Nemours Children's Health-Gastroenterology	GI Clinical Lab, RCI Room 211, 1600 Rockland Road, Wilmington, DE 19803		