



Patient ID SA00179139	Patient Name SAMPLEREPORT, FPAB A	Birth Date 1983-07-19	Sex M	Age 42
Order Number SA00179139	Client Order Number SA00179139	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Feb 2026 14:00		

Pantothenic Acid (B-5) Bioassay

Y017

200.00 H ug/L

ADDITIONAL INFORMATION

Adult Reference Range
>10 Years: 37 to 147 ug/L

Pediatric Reference Range
≤ 1 Year: 3.45 to 825 ug/L
>1 Year to 10 Years: 3.45 to 229.2 ug/L

The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.

Received: 04 Feb 2026 12:11

Reported: 04 Feb 2026 12:19

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y017	BioAgilytix Diagnostics	1320 Soldiers Field Road, Boston, MA 02135		