



Patient ID SA00136006	Patient Name TESTINGRNV, PNT0-NORM	Birth Date 1995-01-01	Gender F	Age 25
Order Number SA00136006	Client Order Number SA00136006	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 Aug 2020 17:00		

S. pneumoniae IgG Ab, Total, S

182.1 mcg/mL

1 SDL

Reference Value
≥9.7

Interpretation: Consistent with moderate pneumococcal vaccine response (181.0–270.0 mcg/mL). Testing for Streptococcus pneumoniae IgG Antibodies, 23 Serotypes, S (PN23) is available for add-on to stored sample within 14 days, if clinically indicated.

Received: 31 Aug 2020 04:40

Reported: 31 Aug 2020 04:46

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592