



Hepatitis B Virus (HBV) DNA Detection and  
Quantification by Real-Time PCR, Serum

|                                                          |                                        |                                       |                 |                  |
|----------------------------------------------------------|----------------------------------------|---------------------------------------|-----------------|------------------|
| Patient ID<br><b>J0001133</b>                            | Patient Name<br><b>HBVQN, NORMAL</b>   | Birth Date<br><b>1988-05-19</b>       | Sex<br><b>F</b> | Age<br><b>35</b> |
| Order Number<br><b>J0001133</b>                          | Client Order Number<br><b>J0001133</b> | Ordering Physician                    | Report Notes    |                  |
| Account Information<br><b>C7028845 DLMP Jacksonville</b> |                                        | Collected<br><b>19 May 2023 08:00</b> |                 |                  |

**HBV DNA Detect/Quant, S**

**Undetected IU/mL**

Result in log IU/mL is Undetected.

**ADDITIONAL INFORMATION**

The quantification range of this assay is 10 to 1,000,000,000 IU/mL (1.00 log to 9.00 log IU/mL). Testing was performed using the cobas HBV test (Roche Molecular Systems, Inc.) with the cobas 6800 System.

**MCF**

**Reference Value**  
Undetected

**Received:** 22 May 2023 14:38

**Reported:** 23 May 2023 09:43

**Performing Site Legend**

| Code | Laboratory                            | Address                                   | Lab Director      | CLIA Certificate |
|------|---------------------------------------|-------------------------------------------|-------------------|------------------|
| MCF  | Mayo Clinic Jacksonville Clinical Lab | 4500 San Pablo Rd, Jacksonville, FL 32224 | Gretchen Johns MD | 10D0269502       |