



Patient ID 321	Patient Name IMPLEMENTATION, TEST T	Birth Date 1973-05-01	Sex F	Age 51
Order Number X100468811	Client Order Number X100468811	Ordering Physician TESTING	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 15 Jul 2024 05:00		

Risankizumab QN with Antibodies, S

Risankizumab, S

1 SDL

42.0 mcg/mL

REFERENCE VALUE

Lower limit of quantitation = 1.0 mcg/mL
Therapeutic ranges are disease specific

Risankizumab Ab, S

SDL

Reference Value
<20.0

<20.0 ng/mL

RISAB Interpretation

1 SDL

Absence of detectable antibody-to-risankizumab.

Received: 15 Jul 2024 13:37

Reported: 15 Jul 2024 14:45

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592