



Patient ID SA00008151	Patient Name SAMPLEREPORT, CZPS N	Birth Date 1966-09-09	Gender M	Age 49
Order Number SA00008151	Client Order Number SA00008151	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Apr 2016 07:30		

Clonazepam and 7-Aminoclonazepam, S

Clonazepam

SDL

25.0 ng/mL

REFERENCE VALUE

Anticonvulsant: 20–70 ng/mL

Anxiolytic: 4–80 ng/mL

Some individuals may show therapeutic response outside of these ranges, or may display toxicity within the therapeutic range, thus interpretation should include clinical evaluation.

7-Aminoclonazepam

1 SDL

25.0 ng/mL

Reference Value
Not applicable

Received: 28 Apr 2016 09:38

Reported: 28 Apr 2016 09:41

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592