



|                                                |                                       |                                      |              |           |
|------------------------------------------------|---------------------------------------|--------------------------------------|--------------|-----------|
| Patient ID<br>SA00070031                       | Patient Name<br>SAMPLEREPORT, FGHSP N | Birth Date<br>1970-11-09             | Gender<br>M  | Age<br>43 |
| Order Number<br>SA00070031                     | Client Order Number<br>SA00070031     | Ordering Physician<br>CLIENT, CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                       | Collected<br>27 Aug 2014 13:00       |              |           |

GHB Screen, S/P

GHB

NEGATIVE

Screening threshold: 5.0 ug/mL

Gamma-hydroxybutyric acid (GHB) analysis performed by Liquid Chromatography with Tandem Mass Spectrometry (LC/MS/MS).

Received: 28 Aug 2014 13:08

Reported: 28 Aug 2014 14:41

Y072

Reference Value  
NEGATIVE

Performing Site Legend

| Code | Laboratory               | Address                                   | Lab Director | CLIA Certificate |
|------|--------------------------|-------------------------------------------|--------------|------------------|
| Y072 | Medtox Laboratories, Inc | 402 W. County Road D, St. Paul , MN 55112 |              |                  |