

|                                                |                                    |                                     |              |           |
|------------------------------------------------|------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00168969                       | Patient Name<br>SAMPLEREPORT, CMSL | Birth Date<br>1999-09-09            | Sex<br>M     | Age<br>24 |
| Order Number<br>SA00168969                     | Client Order Number<br>SA00168969  | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                    | Collected<br>17 Jun 2024 00:00      |              |           |

3-Methoxytyramine, 24h, U

3-Methoxytyramine, U



400 mcg/24 h

High

Collection Duration (h)

24 h

SDL

Reference Value  
≤ 306

Volume (mL)

1000 mL

Received: 17 Jun 2024 06:19

Reported: 17 Jun 2024 06:21

SDL

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director         | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|----------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55905 | Nikola Baumann Ph.D. | 24D1040592       |