



Patient ID C7028845-0000127	Patient Name CRBF, NORMAL	Birth Date 1991-05-15	Gender M	Age 28
Order Number X100301197	Client Order Number X100301197	Ordering Physician unknown	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 10 Oct 2019 08:00		

Creatinine, BF

Creatinine, BF

2.0 mg/dL

ADDITIONAL INFORMATION

Peritoneal, Pleural, and Drain fluid concentrations should be compared to serum or plasma. Fluid to serum ratios >1.0 suggest the specimen may be contaminated with urine. Peritoneal dialysate fluid to serum creatinine ratios can be calculated from timed collections to determine peritoneal membrane transport rates. All other fluids refer to www.mayocliniclabs.com

MCF

Reference Value
See Comment

for further interpretive information. This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Fluid Type, Creatinine

MCF

Abdominal

Received: 10 Oct 2019 13:29

Reported: 10 Oct 2019 13:29

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Gretchen Johns MD	10D0269502