



Patient ID SA00157905	Patient Name SAMPLEREPORT, CHLAP NORMAL	Birth Date 1981-08-06	Sex M	Age 41
Order Number SA00157905	Client Order Number SA00157905	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 07 Feb 2023 01:01		

Chlamydia IgM/IgG Panel, IFA, S

C. pneumoniae IgM

<1:10 titer

SDL

Reference Value
<1:10

C. pneumoniae IgG

<1:64 titer

SDL

Reference Value
<1:64

C. psittaci IgM

<1:10 titer

1 SDL

Reference Value
<1:10

C. psittaci IgG

<1:64 titer

1 SDL

Reference Value
<1:64

Received: 07 Feb 2023 15:19

Reported: 08 Feb 2023 16:46

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592