



Patient ID SA00142947	Patient Name TESTINGRNA, SAMPLEREPORT	Birth Date 1982-06-29	Gender F	Age 38
Order Number SA00142947	Client Order Number SA00142947	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Mar 2021 07:00		

Smith-Lemli-Opitz Scrn, P

Interpretation

POSITIVE In this sample, the result of the SLO screen is consistent with a biochemical diagnosis of Smith-Lemli-Opitz syndrome.

ADDITIONAL INFORMATION

Gas Chromatography-Mass Spectrometry (GC/MS)

7-Dehydrocholesterol



5.6 mg/L

1 MCR

MCR

Reference Value
≤2.0

8-Dehydrocholesterol



1.7 mg/L

MCR

Reference Value
≤0.3

Reviewed By

Amy Breitlow

MCR

Received: 04 Mar 2021 07:04

Reported: 04 Mar 2021 07:13

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292