



Patient ID SA00096301	Patient Name SAMPLEREPORT, CARBG	Birth Date 2008-08-08	Gender M	Age 9
Order Number SA00096301	Client Order Number SA00096301	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Aug 2017 08:08		

Carbamazepine-10,11-Epoxyde, S

Carbamazepine, Tot, S

4.7 mcg/mL

MCR

Reference Value
4.0–12.0

Carb-10,11-Epoxyde, S

0.4 mcg/mL

REFERENCE VALUE

0.4–4.0 (Toxic ≥ 8.0)

1 SDL

Received: 23 Aug 2017 14:14

Reported: 23 Aug 2017 15:06

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592