



|                                                |                                    |                                     |              |           |
|------------------------------------------------|------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00149575                       | Patient Name<br>TESTINGRNV, AFH AB | Birth Date<br>1980-09-09            | Gender<br>M  | Age<br>41 |
| Order Number<br>SA00149575                     | Client Order Number<br>SA00149575  | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                    | Collected<br>25 Nov 2021 00:00      |              |           |

Factor H Autoantibody, S



>300.0 U/mL

High

1 SDL

Reference Value  
<15.8

Received: 26 Nov 2021 15:21

Reported: 26 Nov 2021 15:21

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director                | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|-----------------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 | William G. Morice M.D. Ph.D | 24D1040592       |