



Hepatitis E Virus RNA Detection and Quantification,
Real-Time RT-PCR, Serum

Patient ID SA00162587	Patient Name HHM TESTING, HEVQU	Birth Date 1992-10-04	Sex M	Age 30
Order Number SA00162587	Client Order Number SA00162587	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Oct 2023 00:00		

HEV RNA Detect / Quant, S



51 IU/mL

Abn

Result in log IU/mL is 1.71.

1 SDL

Reference Value
Undetected

ADDITIONAL INFORMATION

This laboratory-developed, real-time PCR assay has a quantification range of 50 to 5,000,000 IU/mL (1.70 log IU/mL to 6.70 log IU/mL).

Received: 04 Oct 2023 09:57

Reported: 04 Oct 2023 10:05

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592