



|                                                |                                           |                                     |              |           |
|------------------------------------------------|-------------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00157098                       | Patient Name<br>TESTINGRNV, LANG ABNORMAL | Birth Date<br>1980-09-07            | Sex<br>M     | Age<br>42 |
| Order Number<br>SA00157098                     | Client Order Number<br>SA00157098         | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                           | Collected<br>15 Jan 2023 00:00      |              |           |

Langust(Lobster), IgE



≥100 kU/L

High

Class 6 (Strongly Positive ≥100)

1 SDL

Reference Value  
<0.70

Received: 17 Jan 2023 14:03

Reported: 17 Jan 2023 14:03

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director                 | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|------------------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55905 | William G. Morice M.D. Ph.D. | 24D1040592       |