



Patient ID 321	Patient Name IMPLEMENTATION, TEST T	Birth Date 2001-05-01	Sex F	Age 24
Order Number X100522213	Client Order Number X100522213	Ordering Physician TESTING	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 13 Feb 2026 05:00		

Amphetamine Panel, S

Methamphetamine SDL

<5.0 ng/mL

REFERENCE VALUE
Cutoff: 5.0 ng/mL

Therapeutic range 10–50 ng/mL

This test reports methamphetamine as the total of the undifferentiated d- and l-enantiomers.

Amphetamine SDL

<5.0 ng/mL

REFERENCE VALUE
Cutoff: 5.0 ng/mL

Therapeutic range 20–30 ng/mL

Amphetamine is a separate prescribable drug as well as the metabolite of methamphetamine. This test reports amphetamine as the total of the undifferentiated d- and l- enantiomers.

Methylenedioxymethamphetamine-MDMA SDL

<5.0 ng/mL

Reference Value
Cutoff: 5.0 ng/mL

Methylenedioxyamphetamine-MDA SDL

<5.0 ng/mL

REFERENCE VALUE
Cutoff: 5.0 ng/mL

MDA is a separate drug and also a metabolite of MDMA and MDEA.

Methylenedioxyethylamphetamine-MDEA 1 SDL

<5.0 ng/mL

Reference Value
Cutoff: 5.0 ng/mL

ADDITIONAL INFORMATION
Testing performed by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS).

Received: 13 Feb 2026 10:29 Reported: 13 Feb 2026 10:45

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592