



Patient ID SA00149535	Patient Name TESTING, HIAAR	Birth Date 2000-11-23	Gender M	Age 21
Order Number SA00149535	Client Order Number SA00149535	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 24 Nov 2021 07:00		

5-HIAA, Random, U

2.60 mg/g Cr

1 MCR

Reference Value
≤4.73

ADDITIONAL INFORMATION

Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS). Values obtained from different assay methods or kits may be different and cannot be used interchangeably. The results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Received: 24 Nov 2021 08:00

Reported: 24 Nov 2021 08:19

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292