

Patient ID SA00095465	Patient Name VALIDATIONSOF, GINA	Birth Date 1984-06-19	Gender F	Age 33
Order Number SA00095465	Client Order Number SA00095465	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 13 Aug 2017 08:56		

ThinPrep w/HPV Co-Test-Diagnostic

Interpretation

MCR

Cervical/Endocervical (ThinPrep):

Satisfactory for Evaluation

Negative for Intraepithelial Lesion or Malignancy

High Risk HPV testing results are NEGATIVE.

See specific genotype results below.

HPV with Genotyping, PCR, ThinPrep:
 HPV High Risk Type 16, PCR: NEGATIVE HPV High Risk Type 18, PCR: NEGATIVE HPV other High Risk types, PCR: NEGATIVE Other High Risk HPV types include: 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68.

Report electronically signed by

MCR

Gina L. Kahnke, CT (ASCP)

I verify that I have examined all relevant slides/materials for the specimen(s) and rendered or confirmed the diagnosis.

Gross Description

MCR

Received specimen in a ThinPrep vial.

Pap Test Source

MCR

Cervical/Endocervical

Clinical History

MCR

None

Menstrual Status (LMP, PM, Pregnant)

MCR

08/02/2017

Hormone Therapy/Contraceptives

MCR

Oral Contraceptives

Case Number

MCR

GR-17-2205

Received: 14 Aug 2017 09:01

Reported: 14 Aug 2017 11:32

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292



Patient ID SA00095465	Patient Name VALIDATIONSOF, GINA	Birth Date 1984-06-19	Gender F	Age 33
Order Number SA00095465	Client Order Number SA00095465	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 13 Aug 2017 08:56		

HPV with Genotyping, PCR, ThinPrep

Specimen Source

CERVIX / ENDOCERVIX

MCR

HPV High Risk type 16, PCR

Negative

MCR

Reference Value
Negative

HPV High Risk type 18, PCR

Negative

MCR

Reference Value
Negative

HPV other High Risk types, PCR

Negative

MCR

Reference Value
Negative

The following Other High Risk HPV types were not detected:
31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68

This test was ordered in the context of a Mayo Clinic GYN Cytology case; this result should be interpreted within the context of the GYN cytology report.

Received: 14 Aug 2017 09:01

Reported: 14 Aug 2017 11:21

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292