

Patient ID J0001544	Patient Name REPORT, NORMAL RPB	Birth Date 2000-03-13	Sex F	Age 25
Order Number J0001544	Client Order Number J0001544	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 13 Mar 2025 03:00		

Respiratory Panel, PCR, V

Specimen Source

Bronchoalveolar lavage (BAL)

MCF

Adenovirus

Undetected

MCF

Reference Value
Undetected

Coronavirus 229E

Undetected

MCF

Reference Value
Undetected

Coronavirus HKU1

Undetected

MCF

Reference Value
Undetected

Coronavirus NL63

Undetected

MCF

Reference Value
Undetected

Coronavirus OC43

Undetected

MCF

Reference Value
Undetected

SARS Coronavirus-2

Undetected

MCF

Reference Value
Undetected

SARS-CoV-2 RNA absent. This result does not rule out COVID-19 in the patient, as the sensitivity of the test depends on the timing of the specimen collection and the quality of the specimen. Result should be correlated with patient's history and clinical presentation.

Human Metapneumovirus

Undetected

MCF

Reference Value
Undetected

Human Rhinovirus/ Enterovirus

Undetected

MCF

Reference Value
Undetected

Influenza A

Undetected

MCF

Reference Value
Undetected

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502

Patient ID J0001544	Patient Name REPORT, NORMAL RPB	Birth Date 2000-03-13	Sex F	Age 25
Order Number J0001544	Client Order Number J0001544	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 13 Mar 2025 03:00		

Influenza B

Undetected

MCF

Reference Value
Undetected

Bordetella pertussis

Undetected

MCF

Reference Value
Undetected

Parainfluenza Virus 1

Undetected

MCF

Reference Value
Undetected

Bordetella parapertussis

Undetected

MCF

Reference Value
Undetected

Parainfluenza Virus 2

Undetected

MCF

Reference Value
Undetected

Chlamydia pneumoniae

Undetected

MCF

Reference Value
Undetected

Parainfluenza Virus 3

Undetected

MCF

Reference Value
Undetected

Mycoplasma pneumoniae

Undetected

MCF

Reference Value
Undetected

Parainfluenza Virus 4

Undetected

MCF

Reference Value
Undetected

Interpretation

1 MCF

This assay is not predicted to detect SARS-coronavirus (CoV), or MERS-CoV.

ADDITIONAL INFORMATION

This assay is performed using the FilmArray Respiratory Panel 2.1 (BioFire Diagnostics).

Received: 13 Mar 2025 10:49

Reported: 13 Mar 2025 11:00

Respiratory Syncytial Virus

Undetected

MCF

Reference Value
Undetected

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502