



|                                                |                                         |                                      |                       |           |
|------------------------------------------------|-----------------------------------------|--------------------------------------|-----------------------|-----------|
| Patient ID<br>321                              | Patient Name<br>TESTRNV, IMPLEMENTATION | Birth Date<br>1968-02-19             | Gender<br>F           | Age<br>53 |
| Order Number<br>X100347332                     | Client Order Number<br>20210226A025     | Ordering Physician<br>SMITH, CHARLES | Report Notes<br>00000 |           |
| Account Information<br>C7028846 DLMP Rochester |                                         | Collected<br>25 Feb 2021 20:01       |                       |           |

## Magnesium/Creat Ratio, Random, U

### Magnesium/Creat Ratio, Random, U

0.10 mg/mg

MCR

Reference Value  
0.04–0.12

### Creatinine, Random, U

30 mg/dL

MCR

Reference Value  
16–326

### Magnesium, Random, U

3 mg/dL

MCR

Received: 26 Feb 2021 14:10

Reported: 26 Feb 2021 14:14

### Performing Site Legend

| Code | Laboratory                                       | Address                                  | Lab Director                | CLIA Certificate |
|------|--------------------------------------------------|------------------------------------------|-----------------------------|------------------|
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292       |