



Patient ID 0000001	Patient Name SAMPLEREPORT, FBNC1	Birth Date 1967-07-13	Sex M	Age 56
Order Number RI20230823A0031	Client Order Number RI20230823A0031	Ordering Physician	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Aug 2023 19:23		

Brazil Nut Component rBer e 1

Brazil Nut Component rBer e 1	Y165	Class	Y165
<0.10 kU/L	Reference Value <0.10	0	
		The test method is the Phadia ImmunoCAP allergen-specific IgE system. CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10–0.34 kU/L= 0/1, Equivocal/Borderline; 0.35–0.69 kU/L=1, Low Positive; 0.70–3.49 kU/L=2, Moderate Positive; 3.50–17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00–99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive	
		FLAG Interpretation: A = Abnormal, H = High, L = Low	
		Received: 29 Aug 2023 15:51	Reported: 30 Aug 2023 10:10

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Suite 10, Lenexa, KS 66219		