



Patient ID J0001512	Patient Name REPORT, COVSQ ABNORMAL	Birth Date 1999-12-03	Sex M	Age 25
Order Number J0001512	Client Order Number J0001512	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 03 Dec 2024 11:00		

SARS-CoV-2 Spike Ab, Semi-Quant, S

SARS-CoV-2 Spike Ab, Interp, S

MCF

Positive

Antibodies to the SARS-CoV-2 spike glycoprotein detected. Results suggest recent or prior SARS-CoV-2 infection and/or vaccination. Serologic results should not be used to diagnose recent SARS-CoV-2 infection as antibodies remain detectable for months to years after infection/vaccination.

SARS-CoV-2 Spike Ab, Quant, S

MCF

15 U/mL

ADDITIONAL INFORMATION

Testing was performed using the Roche Elecsys Anti-SARS-CoV-2 S Reagent assay from Roche Diagnostics, which has received Emergency Use Authorization (EUA) by the U.S. Food and Drug Administration.

Fact sheets for this Emergency Use Authorization (EUA) assay can be found at the following links:

For Healthcare Providers:

<https://www.fda.gov/media/144035/download>

For Patients:

<https://www.fda.gov/media/144036/download>

Received: 03 Dec 2024 14:48

Reported: 03 Dec 2024 14:48

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502