



Strict Criteria Sperm Morphology for Infertility
Diagnosis and Treatment, Semen

Patient ID SA00051008	Patient Name SAMPLEREPORT, MSTC	Birth Date 1986-06-10	Gender M	Age 26
Order Number SA00051008	Client Order Number SA00051008	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 28 Apr 2013 00:00		

Strict Criteria Sperm Morphology

Strict Morph NL



1.0 %

MCR

Reference Value
≥4.5

Low

Germ Cells/mL



22.10 x10(6)

MCR

Reference Value
<4.00

High Indicative of a possible disorder in spermatogenesis.

Acrosom Defect

MCR

15.0 %

Head Shape Abnormal

MCR

17.0 %

Head Size Abnormal

MCR

1.5 %

Midpiece Defect

MCR

21.0 %

Tail Defect

MCR

40.5 %

Double Forms

MCR

2.5 %

Multiple Defects

MCR

1.5 %

WBC/mL

MCR

0.00 x10(6)

Reference Value
<1.00

Received: 29 Apr 2013 09:31

Reported: 29 Apr 2013 09:54

Performing Site Legend

Code	Laboratory	Address
MCR	Mayo Clinic Dept. of Lab Med and Pathology	200 First Street SW, Rochester, MN 55905