



|                                                |                                   |                                     |              |           |
|------------------------------------------------|-----------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00154713                       | Patient Name<br>ABNORMAL, VZIKM   | Birth Date<br>1990-06-06            | Sex<br>M     | Age<br>32 |
| Order Number<br>SA00154713                     | Client Order Number<br>SA00154713 | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                   | Collected<br>06 Oct 2022 11:00      |              |           |

Zika Virus MAC-ELISA, IgM, S



Abn

Presumptive Zika Positive

SDL  
Reference Value  
Negative

IgM-class antibodies to Zika virus (ZIKV) detected. This is a preliminary result and does not confirm evidence of ZIKV infection. Confirmatory testing may be required as determined by your local health department. False positive results may occur in patients with other current or prior flavivirus infections (e.g., dengue virus). For patients with less than 7 days of symptoms or last possible exposure to ZIKV, RT-PCR for ZIKV on serum and urine is recommended. A

positive ZIKV RT-PCR result on either specimen is confirmatory for ZIKV infection.

For the most recent CDC guidelines for Zika virus testing visit:  
<https://www.cdc.gov/zika/hc-providers/testing-guidance.html>  
and/or

<https://www.mayocliniclabs.com/articles/resources/algorithms.html>

SEMI-URGENT RESULT

Received: 07 Oct 2022 08:38

Reported: 07 Oct 2022 09:02

Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director                 | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|------------------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 | William G. Morice M.D. Ph.D. | 24D1040592       |