



Patient ID SA00117527	Patient Name TESTINGRNV, REPORTS	Birth Date 1985-12-10	Gender F	Age 33
Order Number SA00117527	Client Order Number SA00117527	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 Jan 2019 00:00		

Albumin, BF

Albumin BF

1.5 g/dL

MCR

Reference Value
See Comment

interpretive information. This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Fluid Type, Albumin

MCR

PERITONEAL

Received: 30 Jan 2019 14:08

Reported: 30 Jan 2019 14:09

ADDITIONAL INFORMATION

Peritoneal fluid albumin is used to calculate the serum-ascites albumin gradient (SAAG). Values greater than or equal to 1.1 g/dL suggest portal hypertension. Pleural fluid albumin may be used to calculate a serum-effusion albumin gradient. Values greater than 1.2 g/dL are most consistent with a transudative process. All other fluids refer to www.mayocliniclabs.com for further

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292