



Patient ID SA00127407	Patient Name TESTINGRNV, NMHR	Birth Date 1990-09-09	Gender M	Age 29
Order Number SA00127407	Client Order Number SA00127407	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 04 Mar 2020 09:30		

N-Methylhistamine, Random, U

N-Methylhistamine, Random

N-Methylhistamine, Random, U

50 mcg/g Cr

① SDL

Reference Value
30–200

Creatinine, Random, U

500 mg/dL

REFERENCE VALUE

Interpret with other
clinical data.

② MCR

Received: 05 Mar 2020 11:48

Reported: 05 Mar 2020 12:03

Laboratory Notes

- This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.
- This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292