



Patient ID C7028846-0006292	Patient Name AACYL, ABNORMAL	Birth Date 1990-10-30	Sex M	Age 34
Order Number X100490164	Client Order Number X100490164	Ordering Physician UNKNOWN, PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 28 Jan 2025 08:00		

Aminoacylase-1 Deficiency, U

N-acetylalanine  10.01 mmol/mol Cr High MCR Reference Value ≤10.00	N-acetylglutamic acid  20.01 mmol/mol Cr High MCR Reference Value ≤20.00
N-acetylglycine  15.01 mmol/mol Cr High MCR Reference Value ≤15.00	Reviewed By Colleen Landon MCR
N-acetylmethionine  5.01 mmol/mol Cr High MCR Reference Value ≤5.00	Interpretation ① MCR *NEGATIVE* In this urine sample, the N-acetyl amino acids profile was essentially normal. ADDITIONAL INFORMATION Gas Chromatography-Mass Spectrometry (GC/MS) Received: 29 Jan 2025 14:56 Reported: 29 Jan 2025 16:01

Laboratory Notes

① This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292