



Patient ID SA00060205	Patient Name SAMPLEREPORT, FMMM ABNORMAL	Birth Date 1970-11-09	Gender M	Age 42
Order Number SA00060205	Client Order Number SA00060205	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 22 Jul 2013 13:00		

Methylone Confirm

Methylone



10.0 ng/mL

High

Y072

Reference Value
NEGATIVE

Quantitative confirmation analysis for Methylone.

Confirmation threshold: 1.0 ng/mL

Confirmation analysis performed by Liquid Chromatography with Tandem Mass Spectrometry (LC/MS/MS).

Received: 23 Jul 2013 13:26

Reported: 24 Jul 2013 10:48

Mephedrone and MDPV Confirm

Mephedrone



6.0 ng/mL

High

Y072

Reference Value
NEGATIVE

MDPV



8.0 ng/mL

High

Y072

Reference Value
NEGATIVE

Quantitative confirmation analysis for Mephedrone, Methylenedioxypyrovalerone (MDPV)

Confirmation threshold: 1.0 ng/mL

Confirmation analysis performed by Liquid Chromatography with Tandem Mass Spectrometry (LC/MS/MS).

Received: 23 Jul 2013 13:26

Reported: 24 Jul 2013 10:48

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y072	Medtox Laboratories, Inc	402 W. County Road D, St. Paul, MN 55112		



Patient ID SA00060205	Patient Name SAMPLEREPORT, FMMM ABNORMAL	Birth Date 1970-11-09	Gender M	Age 42
Order Number SA00060205	Client Order Number SA00060205	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 22 Jul 2013 13:00		

Mephedrone, MDPV, Methylone

Mephedrone



Further testing indicated

Y072

Reference Value
NEGATIVE

MDPV



Further testing indicated

Y072

Reference Value
NEGATIVE

Methylone



Further testing indicated

Y072

Reference Value
NEGATIVE

Qualitative analysis for Mephedrone,
Methylenedioxypyrovalerone (MDPV) and Methylone

Screening threshold: 1.0 ng/mL

Screening analysis performed by Liquid
Chromatography with Tandem Mass Spectrometry (LC/MS/MS).

Received: 23 Jul 2013 13:26

Reported: 24 Jul 2013 10:48

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y072	Medtox Laboratories, Inc	402 W. County Road D, St. Paul , MN 55112		