

Patient ID SA00076528	Patient Name SAMPLEREPORT, OXYCX N	Birth Date 1966-09-09	Gender M	Age 49
Order Number SA00076528	Client Order Number SA00076528	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 Jun 2016 05:00		

Adulterants Survey, CoC, U

Creatinine, U	SDL	Oxidants	SDL
200.0 mg/dL		Negative	Reference Value Cutoff: 200 mg/L
Specific Gravity	SDL	Comment	SDL
1.034		Normal	
pH	SDL	Received: 01 Jul 2016 06:37	Reported: 01 Jul 2016 06:41
7.0			

Oxycodone w/metabolite Conf, CoC, U

Oxycodone Interpretation	1 SDL	Noroxycodone-by LC-MS/MS	SDL
Negative.		Negative ng/mL	Reference Value Cutoff: 25
ADDITIONAL INFORMATION		Oxymorphone-by LC-MS/MS	SDL
This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.		Negative ng/mL	Reference Value Cutoff: 25
Oxycodone Immunoassay Screen	SDL	Noroxymorphone-by LC-MS/MS	SDL
Negative ng/mL	Reference Value Cutoff: 100	Negative ng/mL	Reference Value Cutoff: 25
Oxycodone-by LC-MS/MS	SDL	Chain of Custody	SDL
Negative ng/mL	Reference Value Cutoff: 25	Chain of custody documents are on file in the Mayo Toxicology Laboratory.	
		Received: 01 Jul 2016 06:37	Reported: 01 Jul 2016 06:52

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592