



Patient ID SA00172916	Patient Name SAMPLEREPORT, PRA	Birth Date 1999-09-09	Sex M	Age 25
Order Number SA00172916	Client Order Number SA00172916	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 12 Nov 2024 08:00		

Renin Activity, P

1 SDL

14 ng/mL/h

REFERENCE VALUE

(Peripheral vein specimen)

Na-deplete, upright:

Mean: 10.8

Range: 2.9–24

Na-replete, upright:

Mean: 1.9

Range: ≤0.6–4.3

ADDITIONAL INFORMATION

Testing performed by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS).

Received: 13 Nov 2024 09:05

Reported: 13 Nov 2024 09:06

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592