

Patient ID SA00166489	Patient Name TESTTINGRNV, TESTING N	Birth Date 1980-09-09	Sex M	Age 43
Order Number SA00166489	Client Order Number SA00166489	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 19 Feb 2024 00:00		

Controlled Substance Panel, OF

Controlled Substance Interpretation

1 SDL

The absence of the expected drug or drug class may indicate noncompliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, or limitations of testing. For a longer window of detection, urine controlled substance monitoring testing (CSMPU) is recommended.

Result Name	Result	Unit	Reference Value	Performing Site
Opioids, 6-acetylmorphine, OF	Not Detected	ng/mL	Cutoff: 5	SDL
Opioids, Morphine, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Opioids, Hydrocodone, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Opioids, Oxycodone, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Opioids, Oxymorphone, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Opioids, Methadone, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Opioids, Fentanyl, OF	Not Detected	ng/mL	Cutoff: 1	SDL
Opioids, Tramadol, OF	Not Detected	ng/mL	Cutoff: 5	SDL
Opioids, Buprenorphine, OF	Not Detected	ng/mL	Cutoff: 1	SDL
Benzodiazepines, Oxazepam, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Benzodiazepines, Clonazepam, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Benzodiazepines, Lorazepam, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Non-Benzodiazepine, Zolpidem, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Stimulants, Amphetamine, OF	Not Detected	ng/mL	Cutoff: 20	SDL
Stimulants, Methamphetamine, OF	Not Detected	ng/mL	Cutoff: 10	SDL
Stimulants, Methylphenidate, OF	Not Detected	ng/mL	Cutoff: 100	SDL
Stimulants, Cocaine Metabolite (BE), OF	Not Detected	ng/mL	Cutoff: 30	SDL
PCP, Phencyclidine, OF	Not Detected	ng/mL	Cutoff: 5	SDL
Marijuana metabolite (THC-COOH), OF	Not Detected	ng/mL	Cutoff: 10	SDL
Barbiturates, Phenobarbital, OF	Not Detected	ng/mL	Cutoff: 50	SDL

Received: 20 Feb 2024 14:40

Reported: 20 Feb 2024 14:40

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592