

Patient ID SA00152232	Patient Name TESTING, LPSC1	Birth Date 2008-01-01	Sex M	Age 14
Order Number SA00152232	Client Order Number SA00152232	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 26 Apr 2022 00:00		

Lipid Panel, S

Cholesterol, Total, S

MCR

125 mg/dL



REFERENCE VALUE

Acceptable: <170 mg/dL
Borderline High: 170–199 mg/dL
High: ≥200 mg/dL

Triglycerides, S

MCR

75 mg/dL




REFERENCE VALUE

Acceptable: <90 mg/dL
Borderline High: 90–129 mg/dL
High: ≥130 mg/dL

Cholesterol, HDL, S

MCR

85 mg/dL



REFERENCE VALUE

Low: <40 mg/dL
Borderline Low: 40–45 mg/dL
Acceptable: > 45 mg/dL

Cholesterol, LDL, Calculated, S

MCR

25 mg/dL

REFERENCE VALUE

Acceptable: <110 mg/dL
Borderline High: 110–129 mg/dL
High: ≥130 mg/dL

ADDITIONAL INFORMATION

LDL cholesterol calculated using the Sampson/NIH equation.

Cholesterol, Non-HDL, Calculated, S

MCR

40 mg/dL



REFERENCE VALUE

Acceptable: <120 mg/dL
Borderline High: 120–144 mg/dL
High: ≥145 mg/dL

Fasting (8 HR or more)

MCR

Yes

Received: 26 Apr 2022 13:33

Reported: 26 Apr 2022 13:33

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292