

Patient ID SA00100677	Patient Name TESTINGRNV, REPORTSNML HYOX	Birth Date 1967-04-07	Gender F	Age 50
Order Number SA00100677	Client Order Number SA00100677	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 12 Nov 2017 12:00		

Hyperoxaluria Panel, U

Glycolate

4 mg/g Cr

MCR

Reference Value
≤50

Interpretation

1 MCR

In this urine sample, the excretions of glycolate, glycerate, oxalate, and 4-hydroxy-2-oxoglutarate were normal.

ADDITIONAL INFORMATION

Gas Chromatography-Mass Spectrometry (GC-MS) Stable Isotope Dilution Analysis

Glycerate

6 mg/g Cr

MCR

Reference Value
≤25

Reviewed By

MCR

Colleen Landon

Received: 13 Nov 2017 10:14

Reported: 13 Nov 2017 10:41

Oxalate

31 mg/g Cr

MCR

Reference Value
≤75

4-hydroxy-2-oxoglutarate

1 mg/g Cr

MCR

Reference Value
≤10

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292