

Patient ID 321	Patient Name IMPLEMENTATION, TEST T	Birth Date 1973-05-01	Sex F	Age 52
Order Number X100513209	Client Order Number X100513209	Ordering Physician 123	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Nov 2025 02:15		

Opiate Panel, Free (Unconjugated),S

6-monoacetylmorphine - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Metabolite of heroin

Codeine - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Therapeutic range 10–100 ng/mL

Morphine - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Therapeutic range 10–80 ng/mL when used as sole therapy;
Minor metabolite of codeine

Hydromorphone - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Therapeutic range 1.0–30 ng/mL when used as sole therapy;
Metabolite of hydrocodone and minor metabolite of morphine

Hydrocodone - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Therapeutic range 10–100 ng/mL

Dihydrocodeine - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Therapeutic range 72–150 ng/mL when used as sole
therapy; Minor metabolite of hydrocodone

Norhydrocodone - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Metabolite of hydrocodone

Oxycodone - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Therapeutic range 10–100 ng/mL

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592

Patient ID 321	Patient Name IMPLEMENTATION, TEST T	Birth Date 1973-05-01	Sex F	Age 52
Order Number X100513209	Client Order Number X100513209	Ordering Physician 123	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Nov 2025 02:15		

Noroxycodone - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Metabolite of oxycodone

Oxymorphone - Free

SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Therapeutic range 1.0–8.0 ng/mL when used as sole therapy; Metabolite of oxycodone

Noroxymorphone - Free

1 SDL

<1.0 ng/mL

REFERENCE VALUE

Cutoff: 1.0 ng/mL

Metabolite of oxymorphone

Received: 04 Nov 2025 07:47

Reported: 04 Nov 2025 07:59

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592