



Trichomonas vaginalis, Miscellaneous Sites, by  
Nucleic Acid Amplification

|                                                   |                                      |                                |              |           |
|---------------------------------------------------|--------------------------------------|--------------------------------|--------------|-----------|
| Patient ID<br>J0001626                            | Patient Name<br>TESTING, MTRNA ATLAS | Birth Date<br>2000-01-14       | Sex<br>M     | Age<br>26 |
| Order Number<br>J0001626                          | Client Order Number<br>J0001626      | Ordering Physician             | Report Notes |           |
| Account Information<br>C7028845 DLMP Jacksonville |                                      | Collected<br>15 Jan 2026 07:00 |              |           |

T.vaginalis, Misc, Amplified RNA

SOURCE:  
URETHRA

MCF

T.vaginalis, Misc, amplified RNA

1 MCF



Positive

Reference Value  
Negative

Abn

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in medical-legal applications.

Received: 20 Jan 2026 08:11

Reported: 20 Jan 2026 08:15

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

| Code | Laboratory                            | Address                                   | Lab Director     | CLIA Certificate |
|------|---------------------------------------|-------------------------------------------|------------------|------------------|
| MCF  | Mayo Clinic Jacksonville Clinical Lab | 4500 San Pablo Rd, Jacksonville, FL 32224 | Jeffrey Dlott MD | 10D0269502       |