



Patient ID SA00126857	Patient Name TESTINGRNV, SAMPLEREPORT	Birth Date 1982-06-29	Gender F	Age 37
Order Number SA00126857	Client Order Number SA00126857	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 18 Feb 2020 10:00		

Phenylalanine and Tyrosine, BS

Phenylalanine, BS

95.6 nmol/mL

MCR

Reference Value
27.0–107.0

Reviewed By

Amy Breitlow

1 MCR

ADDITIONAL INFORMATION

Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

Tyrosine, BS

123.4 nmol/mL

MCR

Reference Value
25.0–150.0

Received: 19 Feb 2020 12:03

Reported: 19 Feb 2020 12:20

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292